Clinical Safety Procedure #65 – Screening of employees for illness during the COVID-19 pandemic

Date Implemented: 4/24/2020 Revision Date: 6/1/2020

A. Purpose

Providing a safe environment for both patients and employees is always a top priority in the dental practice. In response to the COVID-19 pandemic, it is critical that patients and employees have confidence the dental practice is as safe an environment as it was prior to the pandemic.

B. Scope

Employees will self-screen daily prior to leaving their homes for work. Self-screening will included:

- Taking their temperature
- Observation of COVID-19 symptoms:
 - Coughing
 - Shortness of breath or difficulty breathing
 - o Chills
 - Repeated shaking with chills
 - Muscle pain
 - Sore throat
 - Loss of taste or smell
 - Headache in combination of other symptoms
 - Congestion/runny nose
 - Nausea or vomiting
 - Diarrhea

Employees having a temperature ≥100.0° F or experiencing COVID-19 symptoms will contact their immediate supervisor and not go into work.

Employees who pass the self-screening criteria and report to work, will have their temperature taken and be screened for respiratory illness symptoms (coughing, shortness of breath, or difficulty breathing) upon arriving at the practice. Any employee having a temperature ≥100.0° F or experiencing respiratory illness symptoms will be sent home and directed to contact their primary care physician.

Employees not reporting to work or being sent home due to fever or respiratory illness symptoms will not be allowed to return to work until they meet the CDC's return to work criteria as outlined in Clinical Safety Procedures #66.

C. Responsibility/Affected Employees

All employees

D. Personal Protective Equipment

E. Definitions & Abbreviations

CDC - Centers for Disease Control and Prevention

F. Resources

CDC Sypmtoms of Coronavirus: https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html

CDC Criteria for Return to Work for Healthcare Personnel with Confirmed or Suspected COVID-19: https://www.cdc.gov/coronavirus/2019-ncov/hcp/return-to-work.html

days; AND

• At least ten days have passed since symptoms began.

COVID-19 Employee Health Screening Log

Use one sheet for each employee for ongoing daily COVID-19 health screens. Complete section I by entering the date, employee's temperature, if they have respiratory or other COVID-19 symptoms, and your name. If an employee's temperature is ≥ 100.0 degrees Fahrenheit, complete section II and immediately send the employee home. Please keep this Log in a confidential location separate from an employee's other personnel documents.

Employee name: _____ Job title: _____

Supervisor's	name:				_
SECTION I					
Date	Employee Temperature	Respiratory or other	er symptor (Y/N)	ms of COVID-19?*	Screened by
.					
		ough, shortness of bred eadache, sore throat, n			er COVID-19 symptoms
	ing, and diarrhea.	eddache, sore tilroat, n	ew ioss oj t	uste or smell, conge.	stion/runny nose,
•					
SECTION I	(To be complet	ed if employee is se	ent home		
Date the emp	oloyee was sent ho	ome:	Recor	ded temperature: _	<u>.</u>
Are visible si	gns of respiratory i	Ilness present?	Yes	No	
If "Yes," plea	se list symptoms:				
• He o		fever can return to vever for at least three			ion to reduce fever

• Any respiratory symptoms (cough and shortness of breath) have improved for at least three

The employee may return to work earlier if a doctor confirms the cause of the employee's fever or other symptoms is not COVID-19 and provides a written release for the employee to return to work.

If the employee tests positive for COVID-19 after being sent home, contact your Regional Director.

• •	firmed or suspected n their doctor before			turn to work crit	eria and have a
Date the employee i	returned to work:				
COVID-19 Emplo	oyee Health Scre	eening Log (Continued)		
Employee name:					

Date	Employee Temperature	Respiratory or other symptoms of COVID-19?* (Y/N)	Screened by	

^{*}Respiratory symptoms include cough, shortness of breath or difficulty breathing. Other COVID-19 symptoms include chills, muscle pain, headache, sore throat and new loss of taste or smell.